

The logo for ALUREK features the company name in a bold, white, sans-serif font. To the right of the text is a stylized white icon of a building facade with a triangular roof. Below the main text, the words "ALUMINIUM | ARCHITECTURE | BUILDING SYSTEMS" are written in a smaller, white, sans-serif font.

ALUREK
ALUMINIUM | ARCHITECTURE | BUILDING SYSTEMS

Seramik Cephe Katalođu
Ceramic Facade Catalogue





KLİPSLİ SİSTEM	CLIP SYSTEM	5
Profiller	Profiles	6
Detaylar	Details	9



YAPIŞTIRMALI SİSTEM	ADHESIVE SYSTEM	13
Profiller	Profiles	14
Detaylar	Details	17



SINTERFLEX SİSTEM	SINTERFLEX SYSTEM	21
Profiller	Profiles	22
Detaylar	Details	25



TERRACOTTA SİSTEM	TERRACOTTA SYSTEM	29
Profiller	Profiles	30
Detaylar	Details	33



ZİKOV KANALLI SİSTEM	ZIKOV SYSTEM	37
Profiller	Profiles	38
Detaylar	Details	41



KOMPAKT LAMİNANT SİSTEM	COMPACT LAMINATE SYSTEM	45
Profiller	Profiles	46
Detaylar	Details	49



ASKILI SİSTEM	SUSPENDED SYSTEM	53
Profiller	Profiles	54
Detaylar	Details	57



POLİÜRETAN ASKILI SİSTEM	POLYURETHANE SUSPENDED SYSTEM	61
Profiller	Profiles	62
Detaylar	Details	65



BRAKET LİSTESİ	BRACKET LIST	69
----------------	--------------	----




STANDART PROFİLLER	STANDARD PROFILES	71
--------------------	-------------------	----






KLİPSLİ SİSTEM CLIP SYSTEM


ALUREK
ALUMINIUM | ARCHITECTURE | BUILDING SYSTEMS




1601
0,905
Kg/m




1603
0,452
Kg/m




1616
0,771
Kg/m




1618
0,350
Kg/m




1602
0,995
Kg/m




1604
0,565
Kg/m




1617
0,843
Kg/m




1609
0,875
Kg/m

**1639**


0,566
Kg/m

**1640**

0,220
Kg/m


**1615**

0,208
Kg/m


**1610**

0,285
Kg/m


DETAYLAR DETAILS



DETAYLAR DETAILS




DETAYLAR DETAILS




YARDIMCI MALZEMELER AUXILIARY MATERIALS

Çelik Dübel *Steel Anchor*Taş Yünü *Stone Wool*Trapez Vida *Trapezous Screw*Taş Yünü Dübeli *Stone Wool Anchor*Braket *Bracket*EPDM Fitol *EPDM Gasket*Buhar Bariyeri *Vapor Barrier*Derz Klips *Joint Clip*Başlangıç Klipsi *Starter Clip*Klips *Clip*4'lü Klips *4 Clip-on*2'li Dikey Klips
2 Vertical Clip-on2'li Yatay Klips
2 Horizontal Clip-on




YAPIŞTIRMALI SİSTEM ADHESIVE SYSTEM

ALUREK
ALUMINIUM | ARCHITECTURE | BUILDING SYSTEMS

**1621**


0,439

Kg/m

**1622**


0,518

Kg/m

**1626**


0,618

Kg/m

**1600**


0,523

Kg/m

**1608**

0,328

Kg/m

**1641**


0,516

Kg/m


**1642**

0,388


Kg/m




1643
0,246
Kg/m




1613
0,246
Kg/m




1610
0,285
Kg/m




1644
0,309
Kg/m



1606
0,080
Kg/m





1614
0,121
Kg/m




1607
0,095
Kg/m




DETAYLAR DETAILS



DETAYLAR DETAILS



DETAYLAR DETAILS



YARDIMCI MALZEMELER AUXILIARY MATERIALS

Çelik Dübel *Steel Anchor*Taş Yünü *Stone Wool*Trapez Vida *Trapezous Screw*Taş Yünü Dübeli *Stone Wool Anchor*Braket *Bracket*Perçin *Rivet*Buhar Bariyeri *Vapor Barrier*Soudal 40FC *Soudal 40FC*




SINTERFLEX SİSTEM


SINTERFLEX SYSTEM

ALUREK


ALUMINIUM | ARCHITECTURE | BUILDING SYSTEMS




1621
0,439
Kg/m




1622
0,518
Kg/m




1626
0,618
Kg/m




1600
0,523
Kg/m




1608
0,328
Kg/m




1641
0,516
Kg/m




1642
0,388
Kg/m




1651
0,279
Kg/m




1656
0,295
Kg/m




1654
0,567
Kg/m




1652
0,265
Kg/m



1655
0,215
Kg/m




1657
0,370
Kg/m




1653
0,352
Kg/m




DETAYLAR DETAILS



DETAYLAR DETAILS



DETAYLAR DETAILS



YARDIMCI MALZEMELER AUXILIARY MATERIALS

Çelik Dübel *Steel Anchor*Taş Yünü *Stone Wool*Trapez Vida *Trapezous Screw*Taş Yünü Dübeli *Stone Wool Anchor*Braket *Bracket*Perçin *Rivet*Buhar Bariyeri *Vapor Barrier*Soudal 40FC *Soudal 40FC*Klips Fitili *Clip Gasket*C Fitil *C Gasket*




TERRACOTTA SİSTEM


TERRACOTTA SYSTEM

ALUREK


ALUMINIUM | ARCHITECTURE | BUILDING SYSTEMS




1621
0,439
Kg/m




1622
0,518
Kg/m




1626
0,618
Kg/m




1600
0,523
Kg/m




1608
0,328
Kg/m




1641
0,516
Kg/m




1642
0,388
Kg/m




1611
0,919
Kg/m



4356
0,535
Kg/m





4357
0,581
Kg/m




1612
0,525
Kg/m




DETAYLAR DETAILS



DETAYLAR DETAILS



DETAYLAR DETAILS




YARDIMCI MALZEMELER AUXILIARY MATERIALS

Çelik Dübel *Steel Anchor*Taş Yünü *Stone Wool*Trapez Vida *Trapezous Screw*Taş Yünü Dübeli *Stone Wool Anchor*Braket *Bracket*Buhar Bariyeri *Vapor Barrier*




ZİKOV KANALLI SİSTEM ZIKOV SYSTEM


ALUREK
ALUMINIUM | ARCHITECTURE | BUILDING SYSTEMS




1621
0,439
Kg/m




1622
0,518
Kg/m




1626
0,618
Kg/m




1600
0,523
Kg/m




1608
0,328
Kg/m



1641
0,516
Kg/m




1642
0,388
Kg/m



1682

0,560
Kg/m





1683


0,560
Kg/m




DETAYLAR DETAILS



DETAYLAR DETAILS



DETAYLAR DETAILS




YARDIMCI MALZEMELER AUXILIARY MATERIALS

Çelik Dübel *Steel Anchor*Taş Yünü *Stone Wool*Trapez Vida *Trapezous Screw*Taş Yünü Dübeli *Stone Wool Anchor*Braket *Bracket*YSB Vida *YSB Screw*Buhar Bariyeri *Vapor Barrier*Ayar Vidası *Adjusting Screw*Fital *Gasket*



KOMPAKT LAMİNANT SİSTEM COMPACT LAMINATE SYSTEM


ALUREK
ALUMINIUM | ARCHITECTURE | BUILDING SYSTEMS



1621

0,439


Kg/m



1622

0,518


Kg/m



1626

0,618


Kg/m



1600

0,523


Kg/m



1608

0,328


Kg/m



1641

0,516


Kg/m



1642


0,388

Kg/m




1681

0,510
Kg/m




1643

0,246
Kg/m




1613

0,246
Kg/m



1610

0,285
Kg/m




1644


0,309
Kg/m




DETAYLAR DETAILS



DETAYLAR DETAILS



DETAYLAR DETAILS




YARDIMCI MALZEMELER AUXILIARY MATERIALS

Çelik Dübel *Steel Anchor*Taş Yünü *Stone Wool*Trapez Vida *Trapezous Screw*Taş Yünü Dübeli *Stone Wool Anchor*Braket *Bracket*YSB Vida *YSB Screw*Buhar Bariyeri *Vapor Barrier*Ayar Vidası *Adjusting Screw*Perçin *Rivet*




ASKILI SİSTEM SUSPENDED SYSTEM


ALUREK
ALUMINIUM | ARCHITECTURE | BUILDING SYSTEMS




1621
0,439
Kg/m




1622
0,518
Kg/m




1626
0,618
Kg/m




1600
0,523
Kg/m




1608
0,328
Kg/m



1641
0,516
Kg/m




1642
0,388
Kg/m




1645

0,566
Kg/m




1638

0,653
Kg/m




1625

0,378
Kg/m




1629

0,658
Kg/m




1613

0,246
Kg/m



1610

0,285
Kg/m





1644


0,309
Kg/m




DETAYLAR DETAILS



DETAYLAR DETAILS



DETAYLAR DETAILS



YARDIMCI MALZEMELER AUXILIARY MATERIALS

Çelik Dübel *Steel Anchor*Taş Yünü *Stone Wool*Trapez Vida *Trapezous Screw*Taş Yünü Dübeli *Stone Wool Anchor*Braket *Bracket*YSB Vida *YSB Screw*Buhar Bariyeri *Vapor Barrier*




POLİÜRETAN ASKILI SİSTEM

POLYURETHANE SUSPENDED SYSTEM


ALUREK

ALUMINIUM | ARCHITECTURE | BUILDING SYSTEMS

**1621**


0,439

Kg/m

**1622**


0,518

Kg/m

**1626**


0,618

Kg/m

**1600**


0,523

Kg/m

**1608**


0,328

Kg/m

**1641**


0,516

Kg/m

**1642**


0,388

Kg/m




1685

0,230
Kg/m




1686

0,350
Kg/m




1689

0,460
Kg/m




1613

0,246
Kg/m



1610

0,285
Kg/m





1644


0,309
Kg/m




DETAYLAR DETAILS



DETAYLAR DETAILS



DETAYLAR DETAILS



YARDIMCI MALZEMELER AUXILIARY MATERIALS

Çelik Dübel *Steel Anchor*Taş Yünü *Stone Wool*Trapez Vida *Trapezous Screw*Taş Yünü Dübeli *Stone Wool Anchor*Braket *Bracket*YSB Vida *YSB Screw*Buhar Bariyeri *Vapor Barrier*Soudal 40FC *Soudal 40FC*Perçin *Rivet*



BRAKET LİSTESİ BRACKET LIST


ALUREK
ALUMINIUM | ARCHITECTURE | BUILDING SYSTEMS

L		A		S
BAYRAK BOYU Cephe Açıklığı (mm)		Braket Yüksekliği (mm)		Kalınlık (mm)
50	X	0-200mm	X	4
60	X	0-200mm	X	4
70	X	0-200mm	X	3,2
80	X	0-200mm	X	3,2
80	X	0-200mm	X	4,0
100	X	0-200mm	X	3,2
100	X	0-200mm	X	4
120	X	0-200mm	X	3,2
120	X	0-200mm	X	4
130	X	0-200mm	X	3,2
150	X	0-200mm	X	3,2
150	X	0-200mm	X	4

0-80mm Braket Yüksekliğinde Tek Delik ve Tek Slot Kullanılmaktadır
(Örnek Çizim Aşağıda Yer Almaktadır)




80-200mm Braket Yüksekliğinde Çift Delik ve Çift Slot Kullanılmaktadır
(Örnek Çizim Aşağıda Yer Almaktadır)





STANDART PROFİLLER STANDARD PROFILES


ALUREK
ALUMINIUM | ARCHITECTURE | BUILDING SYSTEMS



Kutu Profilleri
Box Profiles

Ürün Kodu	A	B	T	mt/gr
3331	10	10	1,2	0,114
3345-1	14	33	1,3	0,313
3335	15	15	0,9	0,138
3330	17	25	1,5	0,317
3345	17	44	1,3	0,411
3307	20	10	1,5	0,219
3309	20	20	1,5	0,301
3310	20	30	1,5	0,382
3314	20	40	1,2	0,374
3306	20	40	1,5	0,463
3320	20	40	2,0	0,607
3354	20	50	2,0	0,715
3336	20	60	1,2	0,505
3364	20	60	1,5	0,626
3351	20	60	2,0	0,823
3362	20	80	1,0	0,531
3328	20	80	1,2	0,637
3363	20	100	1,0	0,640
3311	25	25	1,5	0,382
3334	25	105	1,5	1,033
3308	30	30	1,5	0,463
3332	30	30	3	0,878
3326	30	40	2	0,715
3346	30	40	3,0	1,100
3348	30	50	2,0	0,823
3347	30	60	1,5	0,707
3339	30	100	1,6	1,100
3340	30	150	1,8	1,720
3313	32	75	1,2	0,680
3304	40	40	1,2	0,504
3305	40	40	1,5	0,626
3324	40	40	2,0	0,822
3324-1	40	40	3,0	1,203
3312	40	50	1,2	0,570
3327	40	50	2	0,932

Ürün Kodu	A	B	T	mt/gr
3325	40	60	1	0,531
3338	40	60	1,5	0,789
3355	40	60	2,0	1,040
3323	40	80	1,4	0,889
3349	40	80	2,0	1,258
3366	40	120	1,6	1,359
3319	47	87	2,0	1,409
3321	50	50	2	1,041
3368	50	50	6	2,861
3316	50	95	1,5	1,155
3315	50	100	1,5	1,195
3337	50	100	2,0	1,583
3356	50	100	3,0	2,341
3317	50	150	1,8	1,915
3341	50	200	2,5	3,320
3365	50	200	4,0	5,246
3352	60	60	2,0	1,257
3353	60	80	1,5	1,114
3322	60	120	1,6	1,533
3370	64	150	12,0	12,357
3329	80	80	1,5	1,276
3369	80	80	3,0	2,504
3371	80	150	12,0	13,398
3319	87	47	2,0	1,409
3357	93	93	2,0	1,973
3367	100	100	1,4	1,496
3318	100	100	1,8	1,915
3358	100	100	3,0	3,155
3359	100	100	4,0	4,163
3342	100	150	2,0	2,667
3343	100	200	3,0	4,781
3360	120	120	2,5	3,180
3344	150	150	3,0	4,780
3372	150	159	12,0	18,536



Köşebent Profilleri
Corner Profiles



Lama Profilleri
Bar Profiles

Ürün Kodu	A	B	T	mt/gr
3004	20	20	1,5	0,156
3031	20	30	1,2	0,157
3006	20	40	1	0,160
3010	20	50	2	0,369
3024	20	60	1,4	0,298
3025	20	80	1,4	0,374
3026	20	100	1,4	0,450
*1608	25	50	1,7	0,330
*1642	25	50	2,0	0,388
3007	30	30	1	0,160
*3027	30	30	1,8	0,275
3030	30	30	2,0	0,314
3011	30	40	2	0,369
3012	30	50	2	0,423
3005	40	40	1	0,214
3009	40	40	4	0,823
3033	40	50	2	0,477
3032	50	50	1,2	0,321
3019	50	50	2	0,531
*1641	50	50	2	0,516
3008	50	50	4	1,040
3028	50	60	4	1,149
3018	50	70	3,2	1,013
3013	50	80	3,2	1,099
3029	50	80	4,0	1,365
3014	50	100	3,2	1,273
3021	50	100	4	1,582
3015	50	120	3,2	1,446
3022	50	120	4	1,799
3016	50	130	3,2	1,533
3036	50	150	2,0	1,073
3017	50	150	3,2	1,707
3023	50	150	4	2,125
3038	60	60	4	1,257
* OLAN ÜRÜNLER TIRTILLIDIR				

Ürün Kodu	A	B	mt/gr
6032	9,9	16,9	0,452
3804	10	3,0	0,477
3803	10	5	0,195
3802	15	3	0,171
3801	15	5	0,146
3805	40	4	0,647
3806	70	4	0,294
3808	80	4	0,818
556	85	4	0,162
3809	100	5	0,238
3807	130	4,0	0,396

ALUREK

ALUMINIUM | ARCHITECTURE | BUILDING SYSTEMS

Ofis Adres: Varlık Mah.
100. Yıl Bulvarı 111/C
Muratpaşa/Antalya

Showroom Adres: Karşıyaka Mah.
Gazi Blv. 175/A Kepez/Antalya

Fabrika Adres: Gaziler Mah. Gaziler
Cad. No: 235 Kepez/ Antalya

info@alurek.com.tr
Tel: +90 506 946 31 81
www.alurek.com.tr
@alurekturkey